

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁵: B01D 35/143	A1	(11) International Publication Number: WO 94/22551 (43) International Publication Date: 13 October 1994 (13.10.94)
(21) International Application Number: PCT/NL94/00067 (22) International Filing Date: 29 March 1994 (29.03.94) (30) Priority Data: 9300554 29 March 1993 (29.03.93) NL (71) Applicant (for all designated States except US): DOCTRO A.V.V. [NL/NL]; Bilderdijk 16, Oranjestad, Aruba (AW). (72) Inventor; and (75) Inventor/Applicant (for US only): DEN DEKKER, Dirk, Jan, Marinus [NL/NL]; Eeuwigelaan 16, NL-1861 CM Bergen (NL). (74) Agent: METMAN, Karel, Johannes; Octrooibureau Los en Stigter B.V., Weteringschans 96, NL-1017 XS Amsterdam (NL).		(81) Designated States: AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DE (Utility model), DK, ES, FI, GB, HU, JP, KP, KR, KZ, LK, LU, LV, MG, MN, MW, NL, NO, NZ, PL, PT, RO, RU, SD, SE, SI, SK, TT, UA, US, UZ, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i>
(54) Title: ASSEMBLY OF FILTERING APPARATUS AND REPLACEABLE FILTER; AND FILTERING APPARATUS AND FILTER FOR USE THEREIN (57) Abstract An assembly of a filtering apparatus and a replaceable filter comprises an electronic filter identification system having an electronic label on the filter and read-out means on the filtering apparatus. The read-out means is connected to a control unit of the filtering apparatus and the control unit is influenced by the read-out means. For example, the control unit is only actuatable upon disposing a filter in the filtering apparatus having a proper label. The filter identification system may be interactive.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgyzstan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LU	Sri Lanka	SN	Senegal
CN	China	LV	Luxembourg	TD	Chad
CS	Czechoslovakia	MC	Monaco	TG	Togo
CZ	Czech Republic	MD	Republic of Moldova	TJ	Tajikistan
DE	Germany	MG	Madagascar	TT	Trinidad and Tobago
DK	Denmark	ML	Mali	UA	Ukraine
ES	Spain	MN	Mongolia	US	United States of America
FI	Finland			UZ	Uzbekistan
FR	France			VN	Viet Nam
GA	Gabon				

Assembly of filtering apparatus and replaceable filter; and
filtering apparatus and filter for use therein

The invention relates to an assembly of a filtering apparatus and a replaceable filter.

In various types of filtering apparatuses, such as industrial exhausters, vacuum cleaners, filtering devices in lubrication systems etc., the filter should be replaced periodically because clogging will degrade its operation. When it is replaced several things can go wrong, such as incorrect fitting, fitting of a wrong or unapproved type and the like, which jeopardizes the correct operation of the filtering apparatus or even the personal safety.

It is the object of the invention to provide an assembly of filtering apparatus en replaceable filter in which this disadvantage is removed in an effective way.

For this purpose, the assembly according to the invention is characterized by an electronic filter identification system including an electronic label on the filter and read-out means on the filtering apparatus.

Due to these features it is permitted that the read-out means checks the correct fitting of a proper filter type by means of the label thereby avoiding mistakes.

It is for example possible that the read-out means is connected to a control unit of the filtering apparatus and the control unit being influenced by the read-out means, in which preferably the control unit is only actuable upon disposing a filter in the filtering apparatus having a proper label. In this way it is impossible to operate the filtering apparatus together with an improper filter, avoiding undesirable or even dangerous situations.

In a further development of the invention, the filter identification system may be interactive permitting for example to provide the label with a read and write memory adapted to store the number of operating hours of the filter and to switch off the filtering device if the maximum permitted number of operating hours has been reached. This prevents the filter from being used too long which would endanger the proper operation of the filter. Since the label in the filter itself counts the number of operating hours, a

correct counting is maintained also when the filter is removed from the filtering apparatus and is fitted again in the same or another filtering apparatus, so that a timely warning for the end of the operating time is ensured.

5 Preferably, the filtering apparatus comprises an indicating means such as a display or indicator lamps of a control panel, for showing information on the filter.

With this indicating means an operator can be provided with information received by the read-out means of
10 the filter label, for example the fitting of an incorrect filter, or the attainment of the maximum operating time, so that the necessary actions can be taken immediately.

The invention includes both the assembly of filtering apparatus and filter, and the filtering apparatus and the
15 filter having the features as mentioned separately.

The invention will hereafter be elucidated with reference to the drawing showing a substantially simplified diagram of an exemplary embodiment of the invention.

The only figure of the drawing shows a filtering
20 apparatus indicated by reference numeral 1 and accommodating therein an exchangeable filter 2. The filtering apparatus 1 may be part of a great number of different types of apparatus, such as for instance industrial exhausters to be used in welding operations for example, in vacuum cleaners or also in
25 fluid circuits in which a fluid is filtered during each circulation. The fluid includes both air, gas and liquids. The filter 2 will preferably be a mechanical filter in which the fluid is guided through a porous material or a material structure having small passage openings separating solid
30 matter from the fluid. For this purpose, the drawing shows a fluid line 3 extending through the filter 2, and a pressure or vacuum source 4, for example a pump, for forcing the fluid through the filter 2.

The replaceable filter 2 has an electronic label 5 to
35 be read out by a read-out means 6 which is mounted in the filtering apparatus 1 and in this case being connected to a central control unit 7 controlling the operation of the filtering apparatus 1 or the machine accommodating the filtering apparatus 1 and to which the pressure or vacuum
40 source 4 is connected. The figure also shows a control panel 8

connected to the control unit 7.

The electronic label 5 comprises information on the filter 2 which is readable by the read-out means 6. Label 5 and read-out means 6 together form an electronic identification system which may be provided in several embodiments. In a simple embodiment one may use for example resonance circuits, magnetic strip cards or optical cards, in which systems the label can only act as transmitter and the read-out means as receiver. In more sophisticated systems there may be an interaction of label and read-out means so that both label and read-out means are transmitter and receiver at the same time. In these identification systems use can be made of a chip card having a small piece of an EEPROM (a read and write memory remaining in tact without electric supply), a "PIT" (programmable identification tag) in which a chip card is used, but in which both the energy and the information is transmitted a distance without contact, or a so-called smart card in which the memory of a chip card is extended to a complete micro controller able to carry out full computations.

All systems are able to transmit information from the label to the read-out means in the filtering apparatus. As a result it is possible to use the read-out means to check the fitting of the correct type of filter in the filtering apparatus. The program of the filtering device may be such that, if not the right filter is fitted, the control unit 7 is inhibited and the filter apparatus or the machine incorporating said filtering apparatus being prevented from being switched on. Consequently, the personal safety and the correct operation of the apparatus is secured. It might be possible to have the control panel 8 indicated that another filter should be fitted.

When an interactive system is used, the features of the filter identification system may be extended substantially. For example, the actual operating time of the filter may be stored in the label 5 of the filter 2 which will prevent the filter from being used too long. The user may be warned by an indication on the control panel 8 or the apparatus may be switched off if the maximum permitted operating time is exceeded. During the use of the filter, the

operator may be kept informed of the number of operating hours of the filter 2 through the operating panel 8. Of course, other exchanges of information within the interactive system are conceivable.


5 Particularly, with filters which are used for filtering danger substances, for example asbestos, it may be useful to provide the label 5 of the filter 2 with a copy protection so that only approved filters adapted to the requirements may be used and other filters will be refused by
10 the filtering apparatus 1.

The invention is not restricted to the embodiment shown in the drawing and described herein before which may be varied in different manners within the scope of the invention.

A further extension of the embodiment includes an
15 interactive identification system to store data from the filtering apparatus in the label, data may for example relate to substances which are retained within the filter during filtration. These data may be read out with a portable unit in a waste treatment works in order to determine the best way to
20 dispose the filter as waste.

CLAIMS

1. Assembly of a filtering apparatus (1) and a replaceable filter (2), characterized by an electronic filter identification system including an electronic label (5) on the filter and read-out means (6) on the filtering apparatus.
- 5 2. Assembly of claim 1, wherein the read-out means (6) is connected to a control unit (7) of the filtering apparatus (1) and the control unit (7) being influenced by the read-out means (6).
- 10 3. Assembly of claim 2, wherein the control unit (7) is only actuable upon disposing a filter (2) in the filtering apparatus (1) having a proper label (5).
4. Assembly of one of the preceding claims, wherein the filter identification system (5, 6) is interactive.
- 15 5. Assembly of claim 4, wherein the label (5) comprises a read and write memory adapted to store the number of operating hours of the filter (2).
- 20 6. Assembly of one of the preceding claims, wherein the filtering apparatus comprises an indicating means (8) such as a display or indicator lamps of a control panel, for showing information on the filter (2).
7. Assembly of one of the preceding claims, wherein the label (5) comprises a copy protection.
8. Filtering apparatus for use in the assembly of one of claims 1-7.
- 25 9. Filter for use in the assembly of one of claims 1-7.



INTERNATIONAL SEARCH REPORT

International application No.
PCT/NL 94/00067

A. CLASSIFICATION OF SUBJECT MATTER
IPC 5 B01D35/143

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 5 B01D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP,A,0 202 201 (ITALIDEE) 20 November 1986 see page 8, line 1 - line 3; claims 1-10 ---	1
A	DE,A,31 26 850 (PETT MANFRED) 11 March 1982 see page 4, line 24 - line 30 ---	1
A	US,A,4 654 140 (YEN-MING CHEN) 31 March 1987 see column 3, line 48 - line 57; figures 1-10 -----	1

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

A document defining the general state of the art which is not considered to be of particular relevance

E earlier document but published on or after the international filing date

L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

O document referring to an oral disclosure, use, exhibition or other means

P document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

& document member of the same patent family

Date of the actual completion of the international search

17 June 1994

Date of mailing of the international search report

29. 06. 94

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Paténlaan 2
NL - 2280 HV Rijswijk
Tel. (+ 31-70) 340-2040, Tx. 31 651 epo nl,
Fax (+ 31-70) 340-3016

Authorized officer

De Paepe, P

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No.
PCT/NL 94/00067

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP-A-0202201	20-11-86	US-A- 4747378	31-05-88
DE-A-3126850	11-03-82	NONE	
US-A-4654140	31-03-87	NONE	